Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

OC07101 FSL Teardrop Ornament Piece with Appliqué
2.00 X 6.07 in.
50.80 X 154.18 mm
14,349 St. L

OC07102 FSL Globe Ornament Piece with Appliqué
2.21 X 5.10 in.
56.13 X 129.54 mm
13,640 St. L

OC07103 FSL Cone Basket Piece with Appliqué
2.13 X 5.34 in.
54.10 X 135.64 mm
13,207 St. L

OC07104 FSL Optional Scallop Trim Piece
1.64 X 1.15 in.
41.66 X 29.21 mm
4,285 St. S

OC07105 FSL Spiral Snowflake Piece with Appliqué
4.31 X 4.01 in.
109.47 X 101.85 mm
25,561 St.

OC07106 FSL Spiral Snowflake Base
4.87 X 4.97 in.
123.70 X 126.24 mm
55,111 St.

OC07107 FSL Gift Box
4.78 X 6.78 in.
121.41 X 172.21 mm
50,587 St. L

OC07108 FSL Gift Box Bow
1.74 X 6.86 in.
44.20 X 174.24 mm
27,423 St. L

**OC07109 FSL Icicle**
.52 X 8.15 in.
13.21 X 207.01 mm
11,952 St. L S

OC07110 FSL Sleigh Ornament with Appliqué
4.66 X 3.91 in.
118.36 X 99.31 mm
27,433 St.

OC07111 FSL Stocking Ornament with Appliqué
2.85 X 4.42 in.
72.39 X 112.27 mm
18,297 St.

OC07112 FSL Gift Ornament with Appliqué
3.01 X 4.04 in.
76.45 X 102.62 mm
23,674 St.

⌘ Design contains a loose fill.
✿ Some white areas shown are not stitched.

L Design is larger than 5" (127 mm) in either direction.
S Design is smaller than 1.5" (38.1 mm) in either direction.

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

OC07113 FSL Christmas Tree Ornament with Appliqué
3.64 X 4.84 in.
92.46 X 122.94 mm
20,226 St.

OC07114 FSL Joy Ornament with Appliqué
3.72 X 4.53 in.
94.49 X 115.06 mm
20,601 St.

OC07115 FSL Large Star Ornament with Appliqué
3.09 X 3.48 in.
78.49 X 88.39 mm
16,078 St.

OC07116 FSL Medium Star Ornament with Appliqué
2.41 X 3.03 in.
61.21 X 76.96 mm
12,143 St.

OC07117 FSL Small Star Ornament with Appliqué
1.71 X 2.15 in.
43.43 X 54.61 mm
6,772 St.

OC07118 FSL Optional Bell Charm
1.23 X 1.62 in.
31.24 X 41.15 mm
4,117 St. S

OC07119 FSL Optional Star Charm
1.02 X 1.54 in.
25.91 X 39.12 mm
3,640 St. S

OC07120 FSL Optional Round Charm
1.01 X 1.66 in.
25.65 X 42.16 mm
3,935 St. S

⌘ Design contains a loose fill.
✿ Some white areas shown are not stitched.

L Design is larger than 5" (127 mm) in either direction.
S Design is smaller than 1.5" (38.1 mm) in either direction.

LACE ORNAMENTS
PACK 61071 • 20 FILES

Listings below indicate color sample, stitching order and suggested thread color number in Isacord, YLI Fine Metallic, Yenmet or YLI Variegated threads.

OC07101 FSL Teardrop Ornament Piece
          with Appliqué
1. Appliqué Placement Stitch 0670
2. Appliqué Cut Line & Tackdown 0670
3. Gold Detail 7012
4. Lace 0670

OC07102 FSL Globe Ornament Piece
          with Appliqué
1. Appliqué Placement Stitch 0670
2. Appliqué Cut Line & Tackdown 0670
3. Gold Detail 7012
4. Lace 0670

OC07103 FSL Cone Basket Piece
          with Appliqué
1. Appliqué Placement Stitch 0670
2. Appliqué Cut Line & Tackdown 0670
3. Gold Detail 7012
4. Lace 0670

OC07104 FSL Optional Scallop Trim Piece
1. Single Color Design 0670

OC07105 FSL Spiral Snowflake Piece
          with Appliqué
1. Appliqué Placement Stitch 0670
2. Appliqué Cut Line & Tackdown 0670
3. Gold Detail 7012
4. Lace 0670

OC07106 FSL Spiral Snowflake Base
1. Single Color Design 0670

OC07107 FSL Gift Box
1. Single Color Design 0670

OC07108 FSL Gift Box Bow
1. Single Color Design 0670

OC07109 FSL Icicle
1. Single Color Design 0670

OC07110 FSL Sleigh Ornament with Appliqué
1. Appliqué Placement Stitch 0670
2. Appliqué Cut Line & Tackdown 0670
3. Gold Detail 7012
4. Lace 0670

OC07111 FSL Stocking Ornament
          with Appliqué
1. Appliqué Placement Stitch 0670
2. Appliqué Cut Line & Tackdown 0670
3. Gold Detail 7012
4. Lace 0670

OC07112 FSL Gift Ornament with Appliqué
1. Appliqué Placement Stitch 0670
2. Appliqué Cut Line & Tackdown 0670
3. Gold Detail 7012
4. Lace 0670

OC07113 FSL Christmas Tree Ornament
          with Appliqué
1. Appliqué Placement Stitch 0670
2. Appliqué Cut Line & Tackdown 0670
3. Gold Detail 7012
4. Lace 0670

OC07114 FSL Joy Ornament with Appliqué
1. Appliqué Placement Stitch 0670
2. Appliqué Cut Line & Tackdown 0670
3. Gold Detail 7012
4. Lace 0670

OC07115 FSL Large Star Ornament
          with Appliqué
1. Appliqué Placement Stitch 0670
2. Appliqué Cut Line & Tackdown 0670
3. Gold Detail 7012
4. Lace 0670

OC07116 FSL Medium Star Ornament
          with Appliqué
1. Appliqué Placement Stitch 0670
2. Appliqué Cut Line & Tackdown 0670
3. Gold Detail 7012
4. Lace 0670

OC07117 FSL Small Star Ornament
          with Appliqué
1. Appliqué Placement Stitch 0670
2. Appliqué Cut Line & Tackdown 0670
3. Gold Detail 7012
4. Lace 0670

OC07118 FSL Optional Bell Charm
1. Single Color Design 0670

OC07119 FSL Optional Star Charm
1. Single Color Design 0670

OC07120 FSL Optional Round Charm
1. Single Color Design 0670

IMPORTANT:

When printing this document, the "Fit to page" option must be
UNCHECKED or the "Page Scaling" option must be set to NONE
depending on your printer's options. If this option is set
incorrectly, the prints will not work correctly as patterns
because they will not print at actual size.

OC07101

OC07102

OC07103

OC07105

OC07110

OC07111

OC07112
First
Applique

OC07112
Second
Applique

OESD™

OC07113

OC07114

OC07115

OC07116

OC07117

OC07101_CWA For use with the BERNINA CutWork Accessory
1.76 X 3.42 in.
44.70 X 86.87 mm
1,653 St.

OC07102_CWA For use with the BERNINA CutWork Accessory
2.26 X 4.01 in.
57.40 X 101.85 mm
1,900 St.

OC07103_CWA For use with the BERNINA CutWork Accessory
2.06 X 3.54 in.
52.32 X 89.92 mm
1,691 St.

OC07105_CWA For use with the BERNINA CutWork Accessory
2.65 X 2.83 in.
67.31 X 71.88 mm
1,761 St.

OC07110_CWA For use with the BERNINA CutWork Accessory
3.99 X 2.68 in.
101.35 X 68.07 mm
2,302 St.

OC07111_CWA For use with the BERNINA CutWork Accessory
2.78 X 3.31 in.
70.61 X 84.07 mm
1,789 St.

OC07112_CWA01 For use with the BERNINA CutWork Accessory
1.60 X 2.76 in.
40.64 X 70.10 mm
1,144 St.

OC07112_CWA02 For use with the BERNINA CutWork Accessory
1.60 X 2.76 in.
40.64 X 70.10 mm
1,192 St.

OC07113_CWA For use with the BERNINA CutWork Accessory
3.54 X 4.26 in.
89.92 X 108.20 mm
2,462 St.

OC07114_CWA For use with the BERNINA CutWork Accessory
3.89 X 4.48 in.
98.81 X 113.79 mm
3,229 St.

OC07115_CWA For use with the BERNINA CutWork Accessory
2.92 X 2.77 in.
74.17 X 70.36 mm
1,538 St.

OC07116_CWA For use with the BERNINA CutWork Accessory
2.34 X 2.34 in.
59.44 X 59.44 mm
1,258 St.

OC07117_CWA For use with the BERNINA CutWork Accessory
2.09 X 1.97 in.
53.09 X 50.04 mm
1,012 St.

NOTE: Placement Stitch and Basting Stitch should match your background fabric.

OC07101_CWA For use with the BERNINA CutWork Accessory
1. Placement Stitch.................................3600
2. Basting Stitch......................................1902
3. BERNINA CutWork Accessory Cut 1...Cut 1
4. BERNINA CutWork Accessory Cut 2...Cut 2
5. BERNINA CutWork Accessory Cut 3...Cut 3
6. BERNINA CutWork Accessory Cut 4...Cut 4

OC07102_CWA For use with the BERNINA CutWork Accessory
1. Placement Stitch.................................3600
2. Basting Stitch......................................1902
3. BERNINA CutWork Accessory Cut 1...Cut 1
4. BERNINA CutWork Accessory Cut 2...Cut 2
5. BERNINA CutWork Accessory Cut 3...Cut 3
6. BERNINA CutWork Accessory Cut 4...Cut 4

OC07103_CWA For use with the BERNINA CutWork Accessory
1. Placement Stitch.................................3600
2. Basting Stitch......................................1902
3. BERNINA CutWork Accessory Cut 1...Cut 1
4. BERNINA CutWork Accessory Cut 2...Cut 2
5. BERNINA CutWork Accessory Cut 3...Cut 3
6. BERNINA CutWork Accessory Cut 4...Cut 4

OC07105_CWA For use with the BERNINA CutWork Accessory
1. Placement Stitch.................................3600
2. Basting Stitch......................................1902
3. BERNINA CutWork Accessory Cut 1...Cut 1
4. BERNINA CutWork Accessory Cut 2...Cut 2
5. BERNINA CutWork Accessory Cut 3...Cut 3
6. BERNINA CutWork Accessory Cut 4...Cut 4

OC07110_CWA For use with the BERNINA CutWork Accessory
1. Placement Stitch.................................3600
2. Basting Stitch......................................1902
3. BERNINA CutWork Accessory Cut 1...Cut 1
4. BERNINA CutWork Accessory Cut 2...Cut 2
5. BERNINA CutWork Accessory Cut 3...Cut 3
6. BERNINA CutWork Accessory Cut 4...Cut 4

OC07111_CWA For use with the BERNINA CutWork Accessory
1. Placement Stitch.................................3600
2. Basting Stitch......................................1902
3. BERNINA CutWork Accessory Cut 1...Cut 1
4. BERNINA CutWork Accessory Cut 2...Cut 2
5. BERNINA CutWork Accessory Cut 3...Cut 3
6. BERNINA CutWork Accessory Cut 4...Cut 4

OC07112_CWA01 For use with the BERNINA CutWork Accessory
1. Placement Stitch.................................3600
2. Basting Stitch......................................1902
3. BERNINA CutWork Accessory Cut 1...Cut 1
4. BERNINA CutWork Accessory Cut 3...Cut 3

OC07112_CWA02 For use with the BERNINA CutWork Accessory
1. Placement Stitch.................................3600
2. Basting Stitch......................................1902
3. BERNINA CutWork Accessory Cut 1...Cut 1
4. BERNINA CutWork Accessory Cut 2...Cut 2
5. BERNINA CutWork Accessory Cut 3...Cut 3

OC07113_CWA For use with the BERNINA CutWork Accessory
1. Placement Stitch.................................3600
2. Basting Stitch......................................1902
3. BERNINA CutWork Accessory Cut 1...Cut 1
4. BERNINA CutWork Accessory Cut 2...Cut 2
5. BERNINA CutWork Accessory Cut 3...Cut 3
6. BERNINA CutWork Accessory Cut 4...Cut 4

OC07114_CWA For use with the BERNINA CutWork Accessory
1. Placement Stitch.................................3600
2. Basting Stitch......................................1902
3. BERNINA CutWork Accessory Cut 1...Cut 1
4. BERNINA CutWork Accessory Cut 2...Cut 2
5. BERNINA CutWork Accessory Cut 3...Cut 3
6. BERNINA CutWork Accessory Cut 4...Cut 4

OC07115_CWA For use with the BERNINA CutWork Accessory
1. Placement Stitch.................................3600
2. Basting Stitch......................................1902
3. BERNINA CutWork Accessory Cut 1...Cut 1
4. BERNINA CutWork Accessory Cut 2...Cut 2
5. BERNINA CutWork Accessory Cut 3...Cut 3
6. BERNINA CutWork Accessory Cut 4...Cut 4

OC07116_CWA For use with the BERNINA CutWork Accessory
1. Placement Stitch.................................3600
2. Basting Stitch......................................1902
3. BERNINA CutWork Accessory Cut 1...Cut 1
4. BERNINA CutWork Accessory Cut 2...Cut 2
5. BERNINA CutWork Accessory Cut 3...Cut 3
6. BERNINA CutWork Accessory Cut 4...Cut 4

OC07117_CWA For use with the BERNINA CutWork Accessory
1. Placement Stitch.................................3600
2. Basting Stitch......................................1902
3. BERNINA CutWork Accessory Cut 1...Cut 1
4. BERNINA CutWork Accessory Cut 2...Cut 2
5. BERNINA CutWork Accessory Cut 3...Cut 3
6. BERNINA CutWork Accessory Cut 4...Cut 4

OESD™

MAKING PRECUT APPLIQUÉ USING
BERNINA© CUTWORK ACCESSORY

> **SUPPLIES**
> • Cut-Away Stabilizer
> • Temporary Spray Adhesive
> • Appliqué Fuse & Fix Stabilizer
> • Embroidery Thread
> • Stabilizer that is appropriate for your project
> • BERNINA® CutWork Accessory

PREPARE APPLIQUE FABRIC
1. Starch appliqué fabric 2-3 times following manufacturer's instructions.
2. Appliqué fabric should be crisp.
3. Iron Appliqué Fuse & Fix to the wrong side of the starched appliqué fabric following instructions on product packaging.

CUT APPLIQUÉ PIECES
1. Hoop one layer of Cut-Away Stabilizer.
2. Send first CWA file to the embroidery machine. (CWA files are the pre-cut appliqué files to use with the CutWork Accessory; these files will end in CWA01, CWA02, and CWA03 etc. The number of CWA files available for each design will depend upon how many separate appliqués each design contains.)
3. Stitch the first color, this will be the placement stitch.
4. Remove the hoop from the machine but do not remove the stabilizer from the hoop. Spray the hooped stabilizer with temporary spray adhesive. Lay prepared appliqué fabric over the placement stitch, being sure to completely cover the stitching. Apply pressure to appliqué fabric to ensure it is adhered.
5. Stitch the second color, this will be the basting stitch. It is meant to baste the appliqué fabric to your hooped stabilizer.
6. Replace normal stitch plate with the CutWork stitch plate.
7. Unthread the machine.
8. If necessary, turn off the upper thread control on your machine. Refer to your machine's user manual. Note that the most recent version of the 830 will perform this task automatically.
9. Replace embroidery needle with the CutWork Accessory.
10. Replace embroidery foot with foot #44 (If you do not have foot #44 you can leave foot #15 on the machine; foot #44 will simply keep the cut fabric from flagging as much).
11. Attach the hoop to the machine.
12. To cut the first appliqué piece follow the "thread changes" on your machine screen and turn the dial on the CutWork tool as required.
13. Remove the hoop from the machine.
14. Gently remove cut appliqué piece, trimming any thread that may have not been cut completely.
    PHOTO 1

PHOTO 1

15. Repeat as needed for designs with multiple appliqué pieces.

TACKDOWN APPLIQUÉ AND COMPLETE EMBROIDERY DESIGN
1. Replace the embroidery needle and rethread the machine.
2. Replace the embroidery foot #15.
3. Spray hoop sized piece of stabilizer that is appropriate for your project and adhere to wrong side of background fabric or project that is to be hooped.
4. Hoop fabric/project and stabilizer.
5. Attach hoop to machine.
6. Send the embroidery file to the machine (this is not a CWA file).
7. Stitch design as normal following the thread changes on the provided thread chart stopping after each Appliqué Placement Stitch.

It is a violation of Copyright law to make and distribute copies of software or artwork.
Software is licensed to the original purchaser for use at one location. ©2011 OESD, LLC. All rights reserved.

1. After stitching an Appliqué Placement Stitch, take the precut appliqué pieces required and peel off the cutaway backing and the release paper revealing a sticky backing. **PHOTO 2**
2. Remove hoop from machine, but do not remove the fabric from the hoop.
3. Adhere precut appliqué piece evenly over the Appliqué Placement Stitch; use pressure to make sure pieces stick well. **PHOTO 3**
4. Reattach hoop to machine.
5. Continue stitching design until all appliqué pieces are placed and all stitching is complete. **PHOTO 4**

NOTE: Design pictured is for instructional purposes and may not be included in this collection.

PHOTO 2

PHOTO 3

PHOTO 4