


A Vintage Summer #12391 / 13 Designs



Finished size approx. 12" x 16"




#12391 / 13 Designs

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12391-01 Tile 1 4.48 X 4.49 in. 113.79 X 114.05 mm 3,943 St.



12391-02 Tile 2 4.47 X 4.47 in. 113.54 X 113.54 mm 4,726 St.




12391-03 Tile 3 4.50 X 4.50 in. 114.30 X 114.30 mm 5,687 St.



12391-04 Tile 44.49 X 4.50 in.
114.05 X 114.30 mm
2,407 St.



12391-05 Tile 5 4.44 X 4.47 in. 112.78 X 113.54 mm 3,477 St.



12391-06 Tile 6 4.38 X 4.46 in. 111.25 X 113.28 mm 9,065 St.



12391-07 Tile 7 4.47 X 4.48 in. 113.54 X 113.79 mm 3,230 St.



12391-08 Tile 84.44 X 4.46 in.
112.78 X 113.28 mm
3,178 St.



12391-09 Tile 9 4.45 X 4.45 in. 113.03 X 113.03 mm 7,474 St.



12391-10 Tile 104.46 X 4.47 in.
113.28 X 113.54 mm
11,674 St.



12391-11 Tile 11 4.48 X 4.45 in. 113.79 X 113.03 mm 10,476 St.



12391-12 Tile 12 4.47 X 4.45 in. 113.54 X 113.03 mm 13,113 St.

- # Design contains a loose fill.
- Some white areas shown are not stitched.

- L Design is larger than 5" (127 mm) in either direction.
- S Design is smaller than 1.5" (38.1 mm) in either direction.



#12391 / 13 Designs

Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12391-13 Redwork Yacht4.83 X 6.48 in.
122.68 X 164.59 mm
5,242 St. □ L

Some white areas shown are not stitched.

- L Design is larger than 5" (127 mm) in either direction.
- S Design is smaller than 1.5" (38.1 mm) in either direction.



#12391 / 13 Designs

Listings below indicate color sample, stitching order and suggested thread color number in Isacord thread.

12391-01 Tile 1		12391-07 Tile 7	12
1. Pink Background Placement Stitch	0101	1. Pink Background Placement Stitch	
2. Sail Placement Stitch		2. Purple Mountains Placement Stitch	
3. Sail Shading		3. Purple Mountains Tackdown	
4. Sail Tackdown		4. Brown Mountains Stitch	
5. Letters		5. Brown Mountains Tackdown	
6. Seam Stitch		6. Sail Placement Stitch	
O. Ocam outon	0020	7. Sail Shading	
10201 00 751 0		8. Sail Tackdown 8. Sail Tackdown	
12391-02 Tile 2		9. Seam Stitch	
1. Pink Background Placement Stitch		0. 00diii 0titori	
2. Off White Linework		40004 00 7711 0	
3. Sail Placement Stitch		12391-08 Tile 8	_
4. Sail Tackdown		 1. Pink Background Placement Stitch 	0101
5. Yellow Linework	0310	Yellow Linework	0310
6. Letters	2711	3. Purple Mountains Placement Stitch	0101 12
7. Seam Stitch	0020	4. Purple Mountains Tackdown	0520
		5. Off White Linework	0101
12391-03 Tile 3		6. Sail Placement Stitch	0101
	0101	7. Sail Shading	0874
1. Pink Background Placement Stitch		8. Sail Tackdown	
2. Yellow Linework		9. Seam Stitch	0020
3. Letters			_
4. Seam Stitch	0020	12391-09 Tile 9	-
		1. Pink Background Placement Stitch	0101
12391-04 Tile 4			
Pink Background Placement Stitch	0101	2. Yellow Linework	
2. Sail Placement Stitch	0101	3. Purple Mountains Placement Stitch	
3. Sail Shading	0874	4. Purple Mountains Tackdown	
4. Sail Tackdown	0776	5. Brown Mountains Placement Stitch	
5. Seam Stitch	0020	Brown Mountains Tackdown	0/02
		 7. Sails Placement Stitch 	
10201 OF THE		8. Sails Shading	
12391-05 Tile 5		9. Sails Light Shading	
1. Pink Placement Stitch		10. Sails Tackdown	
Z. Yellow Linework		11. Off White Linework	0101
3. Off White Linework		12. Seam Stitch	0020
4. Sail Placement Stitch			
5. Sail Shading		12391-10 Tile 10	
6. Sail Tackdown	0776	1. Brown Mountains Placement Stitch	0101
7. Seam Stitch	0020		
		2. Blue Water Placement Stitch	
12391-06 Tile 6		3. Water Tackdown & Highlights	
	0101	4. Yellow Water Highlights	
Pink Background Placement Stitch		5. Dark Blue Waves & Shading	
2. Yellow Linework		6. Medium Grey on Boat	
3. Sail Placement Stitch		7. White Water Highlights	
4. Sail Shading		8. Boat Bottom	
5. Sail Tackdown		9. Light Grey Boat Edge	
6. Seam Stitch	0020	10. Off White Linework	
		11. Sail Placement Stitch	
		12. Sail Shading	0874
		13. Sail Tackdown	0776

14. Boom

12391-11 Tile 11	
1. Blue Water Placement Stitch	0101
Blue Water Flacement Stitch Boat Bottom	
3. Medium Grey Boat	
Eight 6.0) Boat Eago	
5. Sail Placement Stitch	
6. Sail Shading	
7. Boom	
8. Sail Tackdown	
9. Dark Blue Waves	
10. Off White Linework	
11. White Water Highlights	
■ 12. Seam Stitch	0020
12391-12 Tile 12	
1. Brown Mountains Placement Stitch	0101
Blue Water Placement Stitch	0101
3. Light Blue Water Tackdown & Highlights	3652
4. Yellow Water Highlights	0630
5. Farther Boat Side	
6. Boat Bottom	4073
7. Near Boat Side	0112
8. Near Boat Outline	
9. Dark Blue Waves	3732
☐ 10. White Waves	
11. Sail Placement Stitch	
12. Near Boat Sail Shading	
13. Farther Boat Sail Shading	
14. Sail Tackdown & Farther Boat Outline	
15. Off White Linework	
■ 16. Seam Stitch	
12201 12 Dodrzanie Washt	
12391-13 Redwork Yacht	4000
1. Single Color Design	1902

Note: Appliqué fabric not included.

■ 15. Seam Stitch




#12391 / 13 Designs

Pre-Cut Appliqué Instructions

- 1. Print out the necessary pages from the PDF of the applique pattern(s).
- 2. Mark the right side of the pattern pieces so you'll know which direction to lay the pattern on the fabric.
- 3. Lightly spray the wrong side of the pattern pieces with temporary adhesive spray and allow it to set for a few minutes.
- 4. Place the pattern pieces on the right side of the fabric and carefuly cut them out. PHOTO 1
- 5. Sew the placement stitch on your hooped fabric. **PHOTO 2**
- 6. With the paper still stuck to the right side of the appliqué fabric, spray the wrong side of the fabric with temporary spray adhesive.
- 7. Place the fabric inside the sewing placement stitch so that it matches the stitching line then remove the paper pattern. **PHOTO 3**
- 8. Sew the tackdown. PHOTO 4
- 9. Sew the remainder of the design and repeat for any remaining pieces. **PHOTO 5**

NOTE: The patterns are sized for the designs as they were made. If you resize the design, you will need to resize the pattern the same amount. You can print out the pattern at the normal size then copy it on a copy machine at the changed size, i.e. resize the designs to 80%, resize the printed pattern to 80%.

TIP: When Printing the patterns, make sure that the "Fit to page" option is UNCHECKED in the Print Dialog Box. If this option is checked the printed patterns will not be actual size.













Project Instructions


A Vintage Summer Wall Hanging

Supplies:

- OESD Signature Pack #12391 A Vintage Summer
- Polyester Embroidery Thread
- Bobbin Thread
- Temporary Spray Adhesive
- Medium Weight Tear-Away Stabilizer
- 2 yards of fabric (this will include the blocks, backing and binding)
- Quilt Batting 12"x 20"

Optional:

- Stitch Witchery Fusible Bonding Web 1/4" wide roll (widely available in 20yd roll)
- 3 yards satin ribbon ½" wide



Embroidery:

- 1. Embroider one of each design file 12391-01 through 12391-12 for the wall hanging using two layers of Medium Weight Tear-Away stabilizer in each hooping. Be sure to use temporary spray adhesive to adhere all layers of stabilizer and fabric together for best stitch results.
- 2. Refer to the Pre-Cut Applique Instructions for directions to apply the applique areas.
- 3. The last thing that will stitch in each of these designs is a border that is referred to on the thread chart
 - as "Seam Stitch". This stitch is very important in the process assembling the wall hanging. It is vital that it is not skipped when embroidering. Stitch this in the same thread color as your background fabric. *NOTE: In our sample pictures we stitched our "Seam Stitch" in black to ensure they would show in photographs.*
- 4. Once the embroidery process is complete, remove excess stabilizer then trim away excess fabric by cutting ½" outside the "Seam Stitch". This process is easily done using a rotary cutter and ruler. *NOTE: It may be easier to cut with the back of the block showing since the "Seam Stitch" was stitched in the same color as your background fabric.* (**Photo 01**)



Construction:

- 1. After each block has been trimmed, lay out the pieces near your machine so that it is easy to put the blocks together. Refer to Diagram A (On next page).
- 2. Stitch the horizontal rows together by laying the first two pieces together with right sides matching. Cut edges should match but more importantly, the "Seam Stitch" on both pieces must match. Stitch the pieces together by straight stitching just to the inside of the "Seam Stitch". (**Photo 02**)





Project Instructions


- 1. Attach the third square to the first two squares in the same fashion to complete your first row. (**Photo 03**)
- 2. Press seams open.
- 3. Referring to diagram A, repeat for rows two through four.
- 4. When step five is complete you will have four stitched rows. (Photo 04)
- 5. Stitch the four rows together in the same manner to complete the front of the wall hanging. Make sure as you sew that your intersections line up between the rows and that the "Seam Stitch" stays matched. (**Photo 05**)
- 6. Cut backing fabric and batting to be at least 2 inches larger than the finished size of your project. Using temporary spray adhesive, spray the batting and adhere it to the wrong side of the backing fabric.
- 7. Using temporary spray adhesive, spray the batting and adhere it to the wrong side of the completed wall hanging. This will create a "quilters' sandwich".
- 8. Quilt as desired. In our sample we simply stitched in the ditch. **NOTE**: steps 11-13 are optional, follow these steps if you would like to add ribbon to cover the seams of the wall hanging (this can be useful if your stitching ended up a bit crooked). If you do not want to add ribbon, simply skip to step 14 to finish the wall hanging.
- 9. Cover all of the seams with satin ribbon. Cut ribbon into strips approximately 1" longer than the seam you are covering. Spray one side of ribbon with temporary spray adhesive. Adhere a layer of Stitch Witchery to each ribbon strip. Be careful not to stretch the Stitch Witchery as this will cause your ribbons to draw up and tend to not want to lay flat. Lay ribbon in place, making sure each is straight, and iron to permanently fuse


ribbon in place. Since Stitch Witchery is permanent, stitching ribbons in place is not necessary.

- 10. Place ribbons in the following order: Place the two vertical ribbons first followed by the three horizontal ribbons.
- 11. Trim away any excess strips of ribbon so that the outer edges of the project are even.
- 12. Trim away the excess backing fabric and batting then bind the wall hanging using your favorite binding method.

Diagram A				
12391-01	12391-02	12391-03		
12391-04	12391-05	12391-06		
12391-07	12391-08	12391-09		
12391-10	12391-11	12391-12		










#12391 / 13 Designs


ATTENTION

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.



TO SAVE PAPER

Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.



It is a violation of Copyright law to make and distribute copies of software or artwork. Software is licensed to the original purchaser for use at one location. ©2012 OESD, LLC. All rights reserved.




A Vintage Summer Appliqué Patterns

12391-01 Applique 1 Pink Sky 12391-01 Second Applique White Sail




A Vintage Summer Appliqué Patterns





A Vintage Summer Appliqué Patterns



12391-04 Second Applique White Sail



A Vintage Summer Appliqué Patterns

